

**Preliminary Results**  
**International Survey for Adult Survivors of Extreme Abuse (EAS)<sup>®</sup>**  
**(Online: January 1, 2007 – March 31, 2007)**

This anonymous survey (in both English and German) was conducted privately by Carol Rutz, Thorsten Becker, Bettina Overkamp, Ph.D. and Wanda Karriker, Ph.D. to explore commonalities reported by survivors of Extreme Abuse (EA) including, but not limited to, Ritual Abuse (RA) and Mind Control (MC).

No widely accepted definitions appear in the academic or survivor literature for the terms “ritual abuse,” “mind control,” or “extreme abuse.” The surveyors did not operationally define those terms for the EAS, rather they made the assumption that respondents would define the terms within their own frames of reference.

RA includes, but is not limited to, Satanic Ritual Abuse (SRA).

MC refers to all mind control procedures designed to make a victim follow directives of the programmer without conscious awareness including, but not limited to, government-sponsored mind control experiments (GMC).

RA/MC means Ritual Abuse and/or Mind Control.

The EAS was developed to gather preliminary descriptive data to obtain indications of the nature and extent of extreme abuse like that suffered by RA/MC/EA survivors and to use our findings to give survivors voice, validation, and visibility. This document provides the following data:

- Countries represented
- Demographics for total sample and for countries/country groups
- Self-selected categories of extreme abuse across countries/country groups

Ritual Abuse  
Mind Control  
Ritual Abuse and Mind Control  
Other Extreme Abuse

- Frequencies of “Yes” responses for statements in Parts 1, 2, and 3 for

Total sample  
Self-selected categories of abuse  
Respondents who reported ritual abuse in a satanic cult  
Respondents who reported that secret government mind control experiments had been performed on them as children

- Ratings for the effectiveness of 53 healing methods by those who had used the method
- Rankings of healing methods reported to have been of much help or great help for those who had used the method

## Countries represented

1471 participants from more than thirty countries answered at least one of the 248 questions on the Extreme Abuse Survey (EAS).

United States	774	Netherlands	8
Germany	273	Norway	10
United Kingdom	92	Romania	1
Canada	75	Sweden	4
Australia	38	China	1
New Zealand	6	Colombia	2
Armenia	3	Hong Kong	1
Austria	8	India	3
Belgium	1	Israel	11
Bulgaria	1	Kyrgyzstan	1
Switzerland	13	Mexico	1
Czech Republic	1	Malaysia	1
Spain	2	Saudi Arabia	1
France	2	South Africa	6
Greece	5	Unknown	124
Ireland	1		
Italy	1		

For statistical analyses, respondents' declared countries were placed into eight groups:

### N

1. 774 United States (US)
2. 273 Germany (DE)
3. 92 United Kingdom (UK)
4. 75 Canada (CA)
5. 44 Australia/New Zealand (AU/NZ)
6. 61 European other than DE and UK (Other EU)  
(Armenia, Austria, Belgium, Bulgaria, Switzerland, Czech Republic, Spain, France, Greece, Ireland, Italy, Netherlands, Norway, Romania, Sweden)
7. 28 Asia/Africa/South America/Mexico (AS/AF/SA/ME)  
(China, Colombia, Hong Kong, India, Israel, Kyrgyzstan, Mexico, Malaysia, Saudi Arabia, South Africa)
8. 124 Unknown Countries (Unknown)

## Demographics for total sample and for countries/country groups

### Gender

	Total	Female		Male		Transgendered	
	<u>N</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>
US	752	644	86%	99	13%	9	1%
DE	271	201	74%	67	25%	3	1%
UK	91	80	88%	10	11%	1	1%
CA	74	62	84%	11	15%	1	1%
AU/NZ	43	37	86%	5	12%	1	2%
Other EU	56	34	61%	22	39%	0	0%
AS/AF/SA/ME	27	23	85%	4	15%	0	0%
Unknown	126	88	70%	36	29%	2	1%
All	1440	1169	81%	254	18%	17	1%

### Current age

	Total	18 – 21		22 – 35		36 – 50		51 – 65		65+	
	<u>N</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>
US	763	14	2%	121	16%	313	41%	286	37%	29	4%
DE	272	46	17%	103	38%	103	38%	18	7%	2	1%
UK	91	6	7%	32	35%	31	34%	20	22%	2	2%
CA	73	2	3%	7	10%	30	41%	31	42%	3	4%
AU/NZ	43	1	2%	10	23%	16	37%	16	37%	0	0%
Other EU	57	6	11%	16	28%	32	56%	3	5%	0	0%
AS/AF/SA/ME	27	2	7%	12	44%	8	30%	3	11%	2	7%
Unknown	125	21	17%	32	26%	48	38%	24	19%	0	0%
All	1451	98	7%	333	23%	581	40%	401	28%	38	3%

### Years spent in “talk” therapy/counseling for extreme abuse issues

	Total	None		<1		1 – 4		5 – 9		10 – 19		20 – 29		30+	
	<u>N</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>	<u>n</u>	<u>%</u>
US	761	116	15%	64	8%	135	18%	157	21%	221	29%	55	7%	13	2%
DE	272	86	32%	30	11%	72	26%	59	22%	18	7%	5	2%	2	1%
UK	90	14	16%	9	10%	29	32%	22	24%	15	17%	0	0%	1	1%
CA	74	11	15%	3	4%	12	16%	13	18%	24	32%	8	11%	3	4%
Au/NZ	43	6	14%	6	14%	8	19%	17	40%	4	9%	2	5%	0	0%
Other EU	56	14	25%	6	11%	16	29%	13	23%	5	9%	2	4%	0	0%
AS/AF/ SA/MEX	26	8	31%	3	12%	4	15%	5	19%	4	15%	1	4%	1	4%
Unk	126	41	33%	9	7%	33	26%	19	15%	23	18%	1	1%	0	0%
All	1448	296	20%	130	9%	309	21%	305	21%	314	22%	74	4%	20	1%

**Current employment**

	Total N	Disabled		Unemployed By Choice		Part-time Public		Full-time Public		Self- Employed	
		n	%	n	%	n	%	n	%	n	%
US	755	221	29%	98	13%	64	8%	233	31%	139	18%
DE	252	68	27%	26	10%	43	17%	76	30%	39	15%
UK	87	39	45%	9	10%	7	8%	19	22%	13	15%
CA	74	29	39%	6	8%	9	12%	10	14%	20	27%
AU/NZ	43	15	35%	8	19%	10	23%	6	14%	4	9%
Other EU	55	22	40%	2	4%	6	11%	9	16%	16	29%
AS/AF/SA/ME	26	5	19%	2	8%	0	0%	10	38%	9	35%
Unknown	121	25	21%	20	17%	15	12%	35	29%	26	21%
All	1413	424	30%	171	12%	154	11%	398	28%	266	19%

**Formal Education**

	Total N	Less than College		Some College		College Degree		Grad Degree		(German Only) No Degree/No Finished Educ	
		n	%	n	%	n	%	n	%	n	%
US	761	68	9%	256	34%	226	30%	211	28%		
DE	265	45	17%	78	29%	84	32%	58	22%	7	3%
UK	90	20	22%	28	31%	14	16%	28	31%		
CA	74	11	15%	22	30%	19	26%	22	30%		
AU/NZ	43	8	19%	16	37%	7	16%	12	28%		
Other EU	54	6	11%	12	22%	11	20%	25	46%		
AS/AF/SA/ME	27	2	7%	8	30%	8	30%	9	33%		
Unknown	121	3	11%	38	31%	47	39%	23	19%	4	3%
All	1446	173	12%	458	32%	416	29%	388	27%	11	1%

**Self-selected category of extreme abuse that best describes respondent's experiences**

	Total N	RA		MC		RA and MC		Other EA	
		n	%	n	%	n	%	n	%
US	582	110	19%	37	6%	340	58%	95	17%
DE	138	25	18%	6	4%	40	29%	67	49%
UK	62	17	27%	4	7%	33	53%	8	13%
CA	56	10	18%	8	14%	29	52%	9	16%
AU/NZ	38	10	26%	2	6%	21	55%	5	13%
Other EU	36	6	17%	4	11%	15	42%	11	30%
AS/AF/SA/ME	15	1	7%	3	20%	7	47%	4	27%
Unknown	60	12	20%	5	8%	28	47%	15	25%
All	987	191	19%	69	7%	513	52%	214	22%

In Parts 1, 2, and 3 respondents were given the opportunity to answer each question either

1. N/A ( if the meaning was unclear or not applicable)
2. Yes
3. Don't know
4. No

**Frequencies of “Yes” responses for statements in Parts 1, 2, and 3 for**

Total sample  
 Self-selected categories of abuse (RA, MC, RA&MC, EA)  
 Respondents who reported ritual abuse in a satanic cult (SRA)  
 Respondents who reported that secret government mind control experiments had been performed on them as children (GMC)

N Total who responded to the question

% N % N who responded “Yes”

n Number who responded “Yes” to the question

RA % n who self-selected RA as primary category of abuse

MC % n who self-selected MC as primary category of abuse

RA&MC % n who self-selected RA and MC as primary category of abuse

EA % n who self-selected Other EA as primary category of abuse

NR % n who did not self-select a primary category of abuse

SRA % n who reported that they were ritually abused in a satanic cult

GMC % n who reported that secret government mind control experiments were performed on them as children

Examples:

11% of 419 who reported “aversive hypnosis” as a memory chose RA as their primary category of abuse.

68% of 655 who reported they have been diagnosed with DID reported that they had been ritually abused in a satanic cult.

69% of 99 who reported “radiation exposure” reported that secret government mind control experiments were performed on them as children.

**PART 1: My memories of extreme abuse include . . .**

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA &amp; MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
1. Aversive hypnosis	1119	37%	419	11%	06%	68%	06%	09%	68%	41%
2. Being caged	1121	53%	599	17%	03%	62%	09%	10%	67%	32%
3. Being threatened with death if I ever talked about the abuse	1159	77%	894	18%	03%	52%	14%	12%	57%	26%
4. Bestiality	1122	52%	584	19%	02%	58%	11%	11%	68%	29%
5. Blinding lights	1112	53%	591	14%	04%	63%	08%	11%	66%	36%
6. Bondage	1125	67%	752	19%	02%	56%	13%	10%	63%	29%
7. Brain implants	1100	11%	117	04%	12%	68%	06%	10%	62%	61%
8. Brain stimulation	1124	36%	403	08%	08%	69%	05%	10%	64%	49%
9. Buried alive	1118	45%	508	20%	01%	67%	04%	08%	78%	33%
10. Dislocation of limbs	1104	26%	283	12%	03%	67%	09%	09%	71%	40%
11. Electronic harassment	1127	41%	460	12%	08%	60%	10%	12%	60%	35%
12. Electroshock	1119	50%	558	15%	04%	66%	07%	08%	69%	39%
13. Eugenics experiments	1091	08%	90	02%	03%	78%	07%	10%	73%	71%
14. Experiments with dolphins	1091	03%	32	03%	00%	81%	03%	13%	75%	75%
15. Experiments with non-human primates	1090	10%	114	06%	01%	75%	11%	07%	77%	58%

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA&amp;MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
16.Forced abortion	1096	36%	395	18%	01%	61%	10%	10%	68%	30%
17.Forced cannibalism	1109	44%	484	18%	00%	70%	05%	07%	80%	35%
18.Forced drugging	1121	71%	791	18%	03%	58%	11%	11%	63%	30%
19.Forced impregnation	1108	38%	416	18%	00%	62%	08%	11%	73%	32%
20.Forced participation in murder by perpetrators	1095	46%	502	19%	01%	68%	05%	08%	80%	35%
21.Forced to abuse other victims	1113	55%	615	20%	02%	61%	09%	09%	70%	30%
22.Forced to murder (or made to think I had murdered) a baby	1111	50%	560	21%	01%	65%	05%	08%	78%	32%
23.Forced to participate in animal mutilations/killings	1110	53%	584	22%	01%	61%	07%	09%	73%	30%
24.Incest	1122	70%	780	19%	01%	54%	15%	11%	58%	27%
25.Injection of painful eye drops	1094	19%	207	10%	04%	65%	09%	13%	66%	43%
26.“Marriage” to Satan	1100	38%	419	19%	00%	69%	03%	08%	86%	32%
27.Microwave abuse	1094	10%	112	03%	20%	54%	09%	14%	44%	48%
28.My own child murdered by my perpetrator	1088	24%	264	20%	00%	67%	04%	09%	79%	33%
29.Near drowning experience caused by perpetrators	1109	51%	565	17%	02%	61%	11%	09%	67%	33%
30.Non-lethal weapons abuse	1101	50%	545	16%	04%	55%	15%	10%	59%	27%
31.Pornography (adult)	1093	36%	396	16%	03%	56%	13%	12%	62%	28%

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA&amp;MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
32.Pornography (child)	1106	52%	578	17%	01%	62%	11%	10%	66%	32%
33.Prostitution (adult)	1068	24%	261	14%	03%	62%	10%	1%	69%	35%
34.Prostitution (child)	1094	46%	500	17%	01%	63%	10%	09%	69%	34%
35.Psychic driving	1093	26%	287	04%	08%	56%	16%	16%	50%	40%
36.Radiation exposure	1090	09%	99	00%	11%	72%	09%	08%	56%	69%
37.Receiving physical abuse from perpetrators	1129	86%	966	17%	04%	50%	17%	11%	54%	26%
38.Sensory deprivation	1099	61%	670	15%	04%	62%	10%	09%	62%	33%
39.Sexual abuse by multiple perpetrators	1125	79%	890	19%	03%	53%	14%	11%	58%	27%
40.Sleep deprivation	1118	69%	771	15%	05%	57%	12%	11%	57%	29%
41.Spining	1094	45%	491	13%	03%	68%	06%	09%	71%	39%
42.Starvation	1098	48%	532	15%	03%	60%	11%	11%	64%	33%
43.Straight-jacketed	1087	25%	267	12%	03%	67%	07%	11%	69%	43%
44.UFO abduction	1074	06%	60	03%	05%	77%	07%	08%	73%	65%
45.Use of blood in abuse	1106	63%	693	21%	01%	62%	07%	09%	71%	29%
46.Use of feces in abuse	1106	55%	603	19%	01%	61%	10%	08%	70%	31%

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA&amp;MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
47. Witnessing murder by perpetrators	1102	54%	590	19%	01%	65%	07%	08%	75%	33%
48. Witnessing animal mutilations/killings	1105	62%	684	20%	01%	60%	10%	09%	70%	31%
49. Witness physical by perpetrators on other victims	1113	72%	804	19%	02%	55%	13%	10%	63%	28%
50. Other abuse(s)	1114	79%	879	16%	04%	51%	17%	12%	55%	26%

**Part 2: Some of the possible aftereffects of extreme abuse that I have experienced are . . .**

1. Art productions with abuse/torture themes	1064	52%	554	19%	03%	53%	15%	09%	59%	29%
2. Auto-immune disorders	1079	42%	457	17%	04%	54%	17%	09%	57%	30%
3. Beliefs indoctrinated by perpetrator(s)	1099	77%	848	18%	05%	54%	14%	10%	57%	26%
4. Cancer	1056	08%	83	19%	04%	54%	16%	07%	65%	30%
5. Dealing with programs installed by perpetrator(s)	1090	70%	766	16%	05%	61%	10%	09%	63%	31%
6. Dissociative flashbacks with satanic themes	1085	68%	739	20%	02%	61%	08%	09%	71%	28%
7. Eating disorder	1105	70%	775	17%	04%	50%	18%	11%	54%	24%
8. Fibromyalgia	1069	27%	287	17%	02%	58%	15%	08%	64%	33%
9. Foreign objects in body	1076	28%	306	12%	05%	58%	14%	11%	64%	34%

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA&amp;MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
10.Hospitalization in a psychiatric unit	1093	54%	592	17%	04%	51%	17%	11%	53%	23%
11.Infertility	1070	16%	172	15%	05%	51%	19%	11%	52%	27%
12.Infliction of sexual pain on others	1068	19%	204	17%	02%	56%	15%	10%	62%	27%
13.Infliction of sexual pain on self	1076	48%	520	20%	03%	51%	16%	11%	57%	23%
14.Migraine headaches	1093	62%	676	20%	04%	48%	17%	11%	55%	24%
15.Multiple sclerosis	1054	02%	20	05%	05%	80%	05%	05%	65%	30%
16.Mysterious ailments for which a diagnosis cannot be made	1086	60%	651	17%	05%	50%	17%	11%	54%	24%
17.Painful body memories	1101	87%	954	18%	04%	50%	18%	10%	55%	25%
18.Post-traumatic stress disorder	1114	89%	986	18%	05%	48%	18%	11%	52%	24%
19.Seizures with no organic basis	1074	25%	273	15%	05%	48%	21%	11%	47%	24%
20.Self-mutilating behaviors	1095	65%	715	19%	03%	49%	18%	12%	52%	22%
21.Sexually-transmitted disease(s)	1068	21%	228	14%	04%	58%	14%	10%	59%	32%
22.Sexual urges triggered by feelings of threat, fear, shame, guilt, etc	1085	65%	701	20%	04%	51%	16%	10%	55%	25%
23.Sleep problems	1118	90%	1001	17%	05%	48%	18%	12%	51%	23%
24.Soft, brittle teeth	1087	37%	404	14%	06%	54%	17%	09%	56%	25%
25.Substance abuse	1084	48%	522	15%	05%	50%	19%	11%	51%	24%

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA&amp;MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
26.Suicidal thoughts around special holidays, birthdays, etc.	1097	71%	778	18%	03%	52%	15%	11%	56%	25%
27.Suicidal thoughts immediately before traumatic memories surface	1089	68%	737	19%	03%	53%	15%	10%	58%	25%
28.Survivor guilt	1102	73%	806	19%	03%	53%	15%	11%	58%	26%
29.Thyroid problems	1082	30%	320	17%	04%	51%	18%	10%	57%	27%
30.Unexplained bruises and wounds	1088	59%	637	17%	05%	54%	14%	10%	57%	28%
31.Unexplained external scarring	1072	45%	478	14%	04%	58%	15%	09%	60%	31%
32.Unexplained internal scarring	1064	33%	349	14%	03%	58%	15%	10%	62%	29%
33.Unusual fears	1110	85%	946	17%	04%	50%	18%	11%	53%	25%
34.Other possible aftereffects of Extreme Child Abuse	1088	76%	827	18%	03%	54%	16%	0 9%	58%	28%

### **Part 3: My personal experiences as a survivor of extreme abuse . . .**

1. Secret government-sponsored mind control experiments were performed on me as a child.	1000	26%	257	03%	09%	82%	05%	02%	69%	100%
2. I have been diagnosed with DID (dissociative identity disorder/formerly multiple personality disorder).	1007	65%	655	22%	02%	60%	13%	04%	68%	30%
3. My perpetrator(s) deliberately created/programmed dissociative states of mind (such as alters, personalities, ego-states) in me.	1012	63%	640	16%	05%	69%	06%	04%	71%	36%
4. In my opinion, therapists/counselors/clergy should always take a neutral stance regarding the truth of survivors' memories.	1013	46%	464	16%	08%	48%	22%	07%	48%	23%
5. A therapist/counselor/clergy with whom I was in a professional relationship sexually exploited me.	1003	22%	217	16%	05%	58%	20%	02%	57%	29%

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA&amp;MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
6. I am uncertain about the ideas, beliefs, and purpose of at least one group in which I was ritually abused.	994	47%	471	20%	04%	60%	11%	05%	63%	31%
7. I have heard Greek letters such as Alpha, Beta, Delta, Theta, Omega used in connection with my abuse.	1005	33%	334	11%	03%	77%	05%	07%	76%	48%
8. I was taken out of school to another location to be ritually abused and then returned to my school classroom.	989	24%	238	13%	03%	74%	07%	04%	76%	47%
9. I was taken out of school to another location for mind control programming, then returned to my school classroom.	988	21%	203	05%	06%	83%	03%	02%	75%	63%
10. I have experienced basic mind control programming in the control personality.	998	44%	435	09%	06%	73%	08%	04%	70%	39%
11. I have experienced sexual mind control programming that was used by a handler for blackmail or personal use.	1001	41%	415	10%	05%	71%	11%	03%	66%	39%
12. I have experienced mind control programming through which I was trained to become an assassin.	994	18%	175	05%	03%	86%	04%	02%	78%	73%
13. I have experienced mind control programming designed to develop psychic abilities such as "psychic killing."	989	21%	203	04%	05%	81%	05%	04%	73%	56%
14. I have experienced self-destruct programming installed in the event I began to remember the programming.	997	57%	565	14%	04%	72%	06%	04%	72%	37%
15. I have been given an assassination assignment by a mind control programmer.	988	12%	117	02%	01%	88%	05%	04%	87%	75%
16. I was ritually abused in a religious sect (group made up of dissenters from an established form of faith such as Christian sect).	993	39%	390	23%	02%	65%	08%	02%	76%	33%
17. I was ritually abused in a Fascist group (Neo-Nazi, KKK, White Supremacist or other group that considers itself the superior in race, creed, or origin).	988	22%	215	13%	03%	74%	05%	04%	73%	53%
18. Alternative healing methods have been more effective in helping me to heal than "talk therapy."	999	31%	308	18%	06%	52%	18%	06%	61%	34%
19. As a child, I told an authority figure that I was being abused in what I now know was RA/MC.	993	28%	278	20%	03%	64%	09%	04%	68%	31%

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA&amp;MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
20.I was abused by at least one Catholic priest in connection with specific satanic rituals.	992	14%	139	19%	01%	71%	05%	04%	83%	42%
21.I was abused by at least one non-Catholic clergyperson in connection with specific satanic rituals.	990	29%	287	20%	00%	72%	06%	02%	86%	41%
22.At least one of my perpetrators has been convicted of criminal abuse toward me.	992	07%	70	16%	03%	40%	34%	07%	50%	19%
23.Current access by RA/MC perpetrators involves harm to my physical/mental/spiritual well-being.	1002	34%	345	14%	09%	59%	14%	04%	55%	29%
24.Perpetrators have on at least one occasion made me believe that external entities/spirits/demons had taken over my body.	996	53%	530	18%	03%	66%	08%	05%	73%	29%
25.I had memories of government-sponsored mind control experimentation before I sought therapy/counseling.	989	18%	175	03%	12%	74%	07%	03%	62%	79%
26.I have sought help from the authorities regarding current abuse by RA/MC perpetrators.	997	19%	193	13%	11	56%	14%	06%	58%	29%
27.Authorities have investigated claims I have made against my RA/MC perpetrators regarding current abuse.	991	06%	64	14%	03%	59%	17%	06%	67%	28%
28.I have received helpful treatment in a hospital when treated for the aftereffects of RA/MC.	989	19%	188	18%	02%	63%	12%	05%	67%	26%
29.I remember being used in government-sponsored mind control experiments in the United States.	989	24%	234	02%	08%	84%	03%	03%	69%	85%
30.I remember being used in government-sponsored mind control experiments in Canada.	987	08%	83	01%	08%	81%	06%	04%	75%	88%
31.I remember being used in government-sponsored mind control experiments in a country other than the U.S or Canada.	979	14%	137	03%	07%	83%	04%	03%	69%	87%
32.At least one of my mind control programmers spoke German or with a heavy German accent.	977	28%	274	05%	05%	81%	05%	03%	72%	61%
33.At least one of my perpetrators went by an alias but I now know who he/she really was.	989	31%	303	14%	04%	70%	07%	04%	75%	41%
34.I work in a professional role (other than as a therapist/counselor/clergy) with other survivors of RA/MC.	978	07%	65	15%	08%	48%	25%	05%	52%	25%

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA&amp; MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
35.I have visited places I thought I had never been before and matched the actual place to my drawings and/or memories.	982	41%	402	16%	04%	64%	13%	03%	64%	32%
36.I have heard other survivors, whom I had not previously met, describe the same perpetrators of my own abuse.	986	34%	337	15%	06%	65%	11%	03%	67%	40%
37.I have heard other survivors, whom I had not previously met, describe the same places where I was abused.	978	32%	312	16%	04%	70%	08%	02%	74%	44%
38.I was subjected to government-sponsored mind control experimentation before I was born.	975	07%	73	01%	07%	85%	03%	04%	77%	88%
39.I was subjected to government-sponsored mind control experimentation at birth through 2 years.	975	14%	139	01%	07%	87%	03%	02%	72%	86%
40.I was subjected to government-sponsored mind control experimentation at ages 3 through 6.	978	23%	226	02%	08%	85%	04%	02%	73%	88%
41.I was subjected to government-sponsored mind control experimentation at ages 7 through 13.	972	24%	234	01%	08%	84%	05%	02%	72%	89%
42.I was subjected to government-sponsored mind control experimentation at ages 14 through 17.	974	18%	173	01%	08%	84%	05%	02%	73%	88%
43.I was subjected to government-sponsored mind control experimentation at ages 18 through 30.	974	12%	116	00%	10%	82%	05%	03%	68%	83%
44.I was subjected to government-sponsored mind control experimentation at ages 31 or older.	972	09%	91	00%	20%	65%	10%	05%	44%	58%
45.I am currently being accessed/abused by RA/MC perpetrators against my will.	983	15%	147	08%	12%	62%	11%	07%	56%	35%
46.I was ritually abused in a satanic cult.	986	55%	543	23%	01%	68%	04%	04%	100%	33%
47.I was ritually abused in a Gnostic-occult group.	969	14%	133	11%	02%	78%	05%	05%	65%	53%
48.I was ritually abused in child pornography.	977	49%	474	18%	01%	69%	09%	03%	73%	35%
49.At least one group that abused me is national or international in scope.	980	46%	451	12%	06%	70%	08%	04%	67%	43%
50.I remember seeing perpetrators cloaked in black robes.	986	60%	591	23%	02%	66%	06%	03%	79%	32%

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA&amp;MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
51.I remember seeing perpetrators cloaked in purple robes.	965	24%	236	15%	00%	77%	05%	03%	83%	39%
52.I remember seeing perpetrators cloaked in white robes.	960	36%	349	16%	03%	73%	04%	05%	78%	40%
53.I remember seeing perpetrators dressed in costumes.	972	45%	441	16%	02%	71%	07%	04%	78%	37%
54.I remember seeing perpetrators wearing white doctors' coats.	969	52%	506	12%	05%	71%	09%	03%	70%	43%
55.The surname of at least one of my perpetrators was the same as a color.	964	23%	224	09%	03%	79%	06%	04%	79%	53%
56.One of my perpetrators went by the name, "Dr. Black."	965	10%	100	06%	02%	82%	06%	04%	87%	60%
57.One of my perpetrators went by the name, "Dr Green."	963	13%	124	05%	02%	84%	06%	03%	85%	69%
58.One of my perpetrators went by the name, "Dr White."	964	09%	83	05%	02%	81%	07%	05%	83%	65%
59.One of my perpetrators went by the name, "Dr Swartz."	962	05%	47	04%	02%	83%	06%	04%	87%	72%
60.One of my perpetrators went by the name, "Father Joseph."	961	07%	68	10%	00%	79%	07%	03%	88%	50%
61.One of my perpetrators went by the name "Vaterchen."	959	06%	54	02%	04%	82%	11%	02%	74%	57%
62.I have watched a person be flayed."	964	32%	307	16%	00%	73%	07%	03%	80%	40%
63.I have attempted suicide one or more times.	980	62%	611	20%	04%	54%	19%	03%	58%	24%
64.I have been transported out of my local area for purposes of RA/MC.	967	48%	465	16%	04%	71%	07%	03%	74%	40%
65.I have been transported out of my native country for purposes of RA/MC.	965	18%	177	07%	03%	84%	02%	03%	77%	69%
66.As a child, I fantasized that I was being tortured by doctors.	968	25%	241	17%	05%	61%	15%	02%	63%	35%

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA&amp;MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
67.I am able to speak and/or write in an unknown language and/or code.	969	28%	269	14%	02%	75%	06%	02%	77%	41%
68.I have been hospitalized because of the aftereffects of RA/MC.	971	43%	419	19%	04%	63%	10%	04%	68%	32%
69.My RA originated from my family of origin.	979	63%	612	23%	01%	63%	11%	03%	70%	32%
70.My MC originated from my family of origin.	956	43%	410	07%	04%	72%	12%	04%	66%	40%
71.At least one spiritual leader was involved in my RA/MC abuse.	960	46%	438	20%	02%	69%	07%	03%	73%	36%
72.One or more of my alters had access codes.	967	34%	332	13%	02%	79%	04%	03%	78%	48%
73.I have (or have had) at least one robot alter.	963	28%	270	10%	04%	73%	10%	02%	73%	50%
74.I have (or have had) at least one animal alter.	961	34%	325	13%	02%	74%	09%	02%	73%	42%
75.I have (or have had) at least one demon alter.	957	40%	379	18%	02%	71%	07%	02%	79%	34%
76.I had memories of incest before I sought therapy/counseling.	985	64%	629	20%	02%	57%	17%	03%	61%	27%
77.I had memories of ritual abuse before I sought therapy/counseling.	977	48%	467	22%	03%	61%	12%	03%	63%	30%
78.My programming included time-travel experiments.	958	15%	146	04%	08%	82%	05%	02%	70%	60%
79.I have been given a seduction assignment by a mind control programmer.	965	23%	219	08%	01%	83%	05%	03%	76%	54%
80.I have successfully sued my perpetrator(s) in civil court.	964	02%	16	25%	06%	25%	44%	00%	38%	13%
81.I have a spiritual belief system.	994	75%	745	19%	06%	56%	15%	04%	60%	28%
82.I participate in an organized religion.	982	43%	422	22%	05%	53%	15%	05%	64%	23%

	<u>N</u>	<u>% N</u>	<u>n</u>	<u>RA</u>	<u>MC</u>	<u>RA&amp; MC</u>	<u>EA</u>	<u>NR</u>	<u>SRA</u>	<u>GMC</u>
83.I am currently in psychotherapy/counseling for help with RA/MC issues.	979	57%	562	22%	03%	58%	14%	03%	64%	26%
84.I am a therapist/counselor/clergy for RA/MC survivors.	964	10%	95	24%	04%	51%	16%	05%	62%	29%
85.I was subjected to RA/MC before I was born.	971	20%	190	14%	02%	77%	03%	04%	85%	48%
86.I was subjected to RA/MC at ages birth through 2 years.	970	50%	481	20%	02%	67%	07%	03%	75%	36%
87.I was subjected to RA/MC at ages 3 through 6.	982	70%	686	22%	03%	63%	09%	03%	71%	34%
88.I was subjected to RA/MC at ages 7 through 13.	982	69%	677	21%	04%	62%	10%	03%	68%	33%
89.I was subjected to RA/MC at ages 14 through 17.	976	51	494	17%	04%	66%	10%	03%	72%	36%
90.I was subjected to RA/MC at ages 18 through 30.	967	34%	333	15%	05%	68%	09%	03%	69%	38%
91.I was subjected to RA/MC at ages 31 or older.	980	21%	206	08%	11%	66%	11%	05%	61%	39%
92.I was ritually abused in a witchcraft cult.	971	23%	219	18%	00%	74%	05%	04%	90%	43%
93.I was ritually abused in voodooism.	966	07%	67	12%	00%	72%	07%	09%	85%	48%
94.A circumcision (as genital mutilation) was performed on me.	965	09%	82	15%	06%	59%	15%	06%	68%	34%

#### Part 4: Experiences with various healing methods for extreme abuse.

N Number of respondents who had used the healing method who rated it according to how helpful it had been in their healing

	<u>N</u>	<u>No help</u>	<u>Little help</u>	<u>Some help</u>	<u>Much help</u>	<u>Great help</u>
1. Acupuncture	351	30%	13%	31%	14%	11%
2. Aromatherapy	441	22%	21%	37%	13%	07%
3. Chiropractic	492	20%	16%	32%	21%	12%
4. Homeopathy	421	21%	20%	30%	16%	13%
5. Massage Therapy	604	13%	14%	30%	24%	19%
6. Naturopathy	287	23%	15%	33%	18%	12%
7. Nutrition & Diet Therapy	498	13%	17%	30%	21%	18%
8. Occupational Therapy	300	32%	20%	27%	13%	08%
9. Osteopathy	183	45%	15%	19%	10%	11%
10. Physical Therapy	397	21%	20%	29%	20%	10%
11. Abreactive Work	441	14%	09%	22%	26%	29%
12. Art Therapy	648	06%	11%	26%	29%	28%
13. Biofeedback	242	41%	16%	19%	11%	12%
14. Clinical Hypnosis	353	31%	17%	20%	14%	18%
15. Confronting Abuser(s)	434	38%	20%	19%	12%	10%
16. Creative Writing	740	05%	07%	24%	28%	35%
17. Dance Therapy	315	24%	13%	25%	19%	19%
18. Deliverance	298	33%	11%	12%	16%	28%
19. Formal Deprogramming	244	30%	09%	11%	17%	34%
20. Drawing/Painting	744	06%	13%	25%	28%	28%
21. Drumming	274	27%	13%	24%	15%	20%
22. Electroshock Therapy	134	83%	07%	04%	01%	04%
23. EMDR	331	33%	16%	16%	15%	20%
24. Energy Therapies	298	27%	11%	14%	23%	26%
25. Exorcism	199	59%	05%	07%	07%	22%
26. Feldenkrais	146	51%	11%	19%	08%	12%
27. Grounding Techniques	593	10%	11%	27%	27%	26%
28. Group Psychotherapy	567	22%	18%	28%	21%	12%
29. Hospitalization	540	35%	19%	20%	15%	11%
30. Individual Psychotherapy/Counseling	892	06%	05%	14%	24%	52%
31. Internet Support Group	600	12%	16%	25%	23%	25%
32. Journaling	830	06%	10%	24%	25%	36%
33. Left/Right Handwriting Techniques	470	18%	16%	26%	19%	21%
34. Local Survivor Support Group	419	22%	13%	24%	19%	23%
35. Music Therapy	422	13%	12%	26%	24%	26%
36. Neurofeedback	128	57%	09%	14%	05%	14%
37. Non-suicide Contract with Therapist	498	27%	12%	20%	21%	20%
38. Personal Prayer/Meditation	766	08%	10%	21%	21%	40%
39. Physical Exercise	753	08%	14%	30%	23%	25%
40. Psychodrama	297	34%	16%	18%	18%	13%
41. Psychotropic Medications	520	30%	15%	23%	19%	13%
42. Reading Survivor Stories	809	09%	17%	34%	23%	17%

	<u>N</u>	<u>No help</u>	<u>Little help</u>	<u>Some help</u>	<u>Much help</u>	<u>Great help</u>
43. Reiki	306	28%	17%	21%	17%	17%
44. Self-Care/Self-Soothing Techniques	739	06%	14%	27%	27%	26%
45. Spiritual Guidance/Counseling	605	16%	13%	20%	19%	32%
46. Supportive Family Members	585	21%	13%	19%	19%	28%
47. Supportive Friends	845	05%	09%	19%	28%	38%
48. Survivor Conferences	405	16%	11%	26%	24%	22%
49. Swimming	456	20%	17%	26%	18%	18%
50. Theophostic Prayer	207	38%	06%	13%	13%	29%
51. Twelve-step Programs	362	37%	14%	19%	12%	19%
52. Yoga	338	26%	19%	21%	17%	17%
53. Other Method(s)	420	11%	08%	21%	18%	42%

**Rankings of methods (by those who had used the method) reported to be of much help or of great help.**

<u>N</u>	<u>%</u>	
892	75%	Individual Psychotherapy/Counseling
845	66%	Supportive Friends
740	64%	Creative Writing
766	62%	Personal Prayer/Meditation
830	61%	Journaling
420	60%	Other Methods
648	57%	Art Therapy
744	56%	Drawing/Painting
441	55%	Abreactive Work
593	53%	Grounding Techniques
739	53%	Self-Care/Self-Soothing Techniques
605	51%	Spiritual Guidance/Counseling
244	51%	Formal Deprogramming
422	49%	Music Therapy
298	48%	Energy Therapies
600	48%	Internet Support Group
753	48%	Physical Exercise
405	47%	Survivor Conferences
585	47%	Supportive Family Members
604	44%	Massage Therapy
298	44%	Deliverance
207	43%	Theophostic Prayer
419	42%	Local Survivor Support Group
498	41%	Non-suicide Contract with Therapist
498	40%	Nutrition and Diet Therapy
470	40%	Left/Right Handwriting Techniques
809	40%	Reading Survivor Stories
315	39%	Dance Therapy

<u>N</u>	<u>%</u>	
456	37%	Swimming
274	36%	Drumming
331	35%	EMDR
338	34%	Yoga
306	34%	Reiki
567	33%	Group Psychotherapy
492	33%	Chiropractic
353	32%	Clinical Hypnosis
297	32%	Psychodrama
520	32%	Psychotropic Medications
362	31%	Twelve-step Programs
397	30%	Physical Therapy
287	30%	Naturopathy
421	29%	Homeopathy
199	29%	Exorcism
540	26%	Hospitalization
351	25%	Acupuncture
242	23%	Biofeedback
434	22%	Confronting Abusers
300	21%	Occupational Therapy
183	21%	Osteopathy
128	20%	Neurofeedback
146	20%	Feldenkrais
441	20%	Aromatherapy
134	05%	Electroshock Therapy

The surveyors encourage . . .

Survivors to examine the survey responses to compare with their own experiences.

Mental health providers to use the findings in ways that will help their clients overcome the aftereffects of extreme abuse.

Social science researchers to analyze the raw data for significant findings and/or use it for comparisons with other research.

Journalists and other media persons to disseminate what survivors *en masse* have reported about their experiences of EA.

For further information about the survey and/or to apply for rights to use the raw data for social science research, contact the developers of the EAS at [info-english@extreme-abuse-survey.net](mailto:info-english@extreme-abuse-survey.net) or [info-deutsch@extreme-abuse-survey.net](mailto:info-deutsch@extreme-abuse-survey.net).